




China Lift Sling Net Belt Factory

泰州市力夫特绳网带厂

Truck lifting net
Truck lifting net - 2.5 T per net



Specifications:

WLL: 2.5 tons per net in U-form (5 T per set 2 pieces)

Safety factor: 7:1

Webbing: 60 mm

Standard: EN 1492-1

Net section: 2.6 x 1.5 m

Total length: 8 m

Weight: 10 kg / net

Standard delivery: set consisting of 2 nets; spreader bars, shackles and additional slings available on request


Label: label protection on request available; with logo or other details available



China Lift Sling Net Belt Factory

泰州市力夫特绳网带厂

Truck lifting net - 9 T per net



Truck lifting net with WLL 9 tons per net.

Specifications:

WLL: 9 tons per net in U-form (18 T per set 2 pieces)

Safety factor: 7:1

Webbing: 150 mm

Standard: EN 1492-1

Net section: 2.6 x 1.5 m

Total length: 8 m

Weight: 14 kg / net

Standard delivery: set consisting of 2 nets; spreader bars, shackles and additional slings available on request


Label: label protection on request available; with logo or other details available



China Lift Sling Net Bel Factory

泰州市力夫特绳网带厂

Truck lifting net - 15 T per net



Truck lifting net with WLL 15 tons per net.

Specifications:

WLL: 15 tons per net in U-form (30 T per set 2 pieces)

Safety factor: 7:1

Webbing: 150 mm

Standard: EN 1492-1

Net section: 3.8 x 1.5 m

Total length: 11.5 m

Weight: 30 kg / net

Standard delivery: set consisting of 2 nets; spreader bars, shackles and additional slings available on request


Label: label protection on request available; with logo or other details available



China Lift Sling Net Bel Factory

泰州市力夫特绳网带厂

Truck lifting net - 20 T per net



Truck lifting net with WLL 20 tons per net.

Specifications:

WLL: 20 tons per net in U-form (40 T per set 2 pieces)

Safety factor: 7:1

Webbing: 180 mm

Standard: EN 1492-1

Net section: 3.98 x 1.6 m

Total length: 11.5 m

Weight: 37 kg / net

Standard delivery: set consisting of 2 nets; spreader bars, shackles and additional slings available on request

Label: label protection on request available; with logo or other details available